

**BENCH DETAIL** 1 L2

NOTES:  
 1) ALL STL. MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER POWDER COATING.  
 2) 1/2" X 3/34" EXPANSION ANCHOR BOLTS PROVIDED.

LENGTH: 6' BENCH

DATE DRAWN: 3/22/24	REV. D	DRAWING NUMBER: 58 SERIES	SHEET 1 OF 2
DRAWN BY: JAY			
DATE REV: 11/21/23			
REV. BY: JRB			

**BIKE RACK DETAIL** 2 L2

FINISH: COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER POWDER COATING.

NOTES:  
 1) 1/2" X 3/34" EXPANSION ANCHOR BOLTS PROVIDED FOR OPTION S-2.  
 2) PLUGS PROVIDED FOR VISIBLE VENT HOLES. (HOT DIPPED GALV. ONLY) \*UPCHARGE APPLIES TO SUPPORT OPTION - CONSULT YOUR LOCAL REPRESENTATIVE.

DATE DRAWN: 5/12/20	REV. B	DRAWING NUMBER: 125-40	SHEET 1 OF 2
DRAWN BY: JRB			
DATE REV: 02/28/12			
REV. BY: ESS			

**RECEPTACLE DETAIL** 3 L2

NOTES:  
 1) ALL STL. MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER POWDER COATING.  
 2) 1/2" X 3/34" EXPANSION ANCHOR BOLTS PROVIDED.  
 3) SIDE OF RECEPTACLE HINGES OPEN FOR REMOVAL OF LINER.  
 4) LATCH PROVIDED W/ KEY, USE OF KEY OPTIONAL.  
 5) RECEPTACLE FULLY ASSEMBLED AT FACTORY.

DATE DRAWN: 08/11/22	REV. G	DRAWING NUMBER: 102-22-FTO	SHEET 1 OF 2
DRAWN BY: JRD			
DATE REV: 12/17/23			
REV. BY: AWW			

**PRIVACY FENCE DETAIL** 4 L2

ALL CONCRETE USED TO BE MIN. 20MPa STRENGTH AT 28 DAYS CW 5-7% AIR ENTRAINMENT

DATE DRAWN: 08/11/22	REV. G	DRAWING NUMBER: 102-22-FTO	SHEET 1 OF 2
DRAWN BY: JRD			
DATE REV: 12/17/23			
REV. BY: AWW			

**PLANTING DETAIL** 5 L2

NOTES:  
 1. DO NOT ALLOW AIR POCKETS WHEN BACKFILLING.  
 2. POSITION CROWN OF ROOT BALL 50mm ABOVE FINISHED GRADE TO ALLOW FOR SETTLING.  
 3. DO CORRECTIVE PRUNING TO RETAIN NATURAL FORM OF TREE.  
 4. FOR TREES PLANTED WITHIN PLANTING OR SHRUB BEDS, DELETE SAUCER AROUND BASE OF TREE.  
 5. NO TREE PITS SHALL BE LEFT OPEN OVERNIGHT.  
 6. ALL DIMENSIONS ARE IN MILLIMETRES.

NO.	REVISION	APRD	DATE
1	PLANTING METHODOLOGY	EN	JUL/04
2	PLANTING METHODOLOGY	DW	JUN/07

TOWN OF COLLINGWOOD  
 DECIDUOUS TREE PLANTING  
 APRD: DW DATE: JAN/03  
 DRAWN: AB SCALE: NTS  
 STD. No. 1101

**PLANTING DETAIL** 6 L2

NOTES:  
 1. DO NOT ALLOW AIR POCKETS WHEN BACKFILLING.  
 2. POSITION CROWN OF ROOT BALL 50mm ABOVE FINISHED GRADE TO ALLOW FOR SETTLING.  
 3. DO CORRECTIVE PRUNING TO RETAIN NATURAL FORM OF TREE.  
 4. FOR TREES PLANTED WITHIN PLANTING OR SHRUB BEDS, DELETE SAUCER AROUND BASE OF TREE.  
 5. NO TREE PITS SHALL BE LEFT OPEN OVERNIGHT.  
 6. ALL DIMENSIONS ARE IN MILLIMETRES.

NO.	REVISION	APRD	DATE
1	PLANTING METHODOLOGY	EN	JUL/04
2	PLANTING METHODOLOGY	DW	JUN/07

TOWN OF COLLINGWOOD  
 CONIFEROUS TREE PLANTING  
 APRD: AB DATE: JAN/03  
 DRAWN: AB SCALE: NTS  
 STD. No. 1102

**PLANTING DETAIL** 7 L2

NOTES:  
 1. DO NOT ALLOW AIR POCKETS WHEN BACKFILLING.  
 2. POSITION CROWN OF ROOT BALL 25mm ABOVE FINISH GRADE TO ALLOW FOR SETTLING.  
 3. ALL DIMENSIONS IN MILLIMETRES.

NO.	REVISION	APRD	DATE
1	PLANTING METHODOLOGY	EN	JUL/04
2	PLANTING METHODOLOGY	DW	JUN/07

TOWN OF COLLINGWOOD  
 SHRUB PLANTING  
 APRD: DW DATE: JAN/03  
 DRAWN: AB SCALE: NTS  
 STD. No. 1103

**PROTECTION DETAIL** 8 L2

NOTES:  
 1) Tree protection barriers must be 2.4m (8ft) high, plywood clad hoarding or an equivalent approved by Town of Collingwood.  
 2) Tree protection barriers for trees situated on road allowance where visibility must be maintained can be 1.2m (4ft.) high and consist of orange plastic vew fencing on a wood frame made of 2" x 4" s.  
 3) Where some excavate or fill has to be temporarily located near a tree protection barrier, plywood must be used to ensure no material enters the Tree Protection Zone.  
 4) All supports and bracing should be outside the Tree Protection Zone. All such supports should minimize damaging roots outside the Tree Protection Barrier.  
 5) No construction activity, grade changes, surface treatment or excavations of any kind is permitted within the Tree Protection Zone.

NO.	REVISION	APRD	DATE
1	PLANTING METHODOLOGY	EN	JUL/04
2	PLANTING METHODOLOGY	DW	JUN/07

TOWN OF COLLINGWOOD  
 TREE PROTECTION  
 APRD: EDH DATE: JAN/03  
 DRAWN: NTS SCALE: NTS  
 STD. No. 1110

**EARTHBIN DETAIL** 9 L2

Specification for In-Ground Waste and Recycling Containers - EarthBin Premium

Model:	EB500
Capacity/Volume:	6.5 cu. yd. (5000 litres)
Capacity/Weight:	2600 lbs (200 kg)
Width (A):	80 in. (203 cm)
Length (B):	70 in. (178 cm)
Height (C):	55 in. (140 cm)
Feed Height (D):	45 in. (114 cm)
Depth In-Ground (E):	62 in. (158 cm)
Ground sleeve height above finished grade (F):	4 in. (10 cm)
Waste Feed Opening:	19 x 24 in. (48 x 61 cm)
Cardboard Feed Opening:	6 x 24 in. (15 x 61 cm)
Weight (Empty):	750 lbs (340 kg)

Configuration:  
 • Rectangular container above-ground.  
 • Round container in-ground which can be rotated.

Feed Doors:  
 • Two (2) per container (front & rear)  
 • Colour coded to indicate purpose (green, blue, grey, or black)  
 • Lockable feed doors

Locks:  
 • Two (2) automatic Gravity Latches on main Service Lid

Materials:  
 • Rigid roto-molded premium virgin polyethylene ground sleeve  
 • Rigid roto-molded premium virgin polyethylene bin  
 • Polyethylene vacuum formed (thermoformed) Service Door & Feed Doors with textured surface finish  
 • Yellow zinc plated steel frame with a Super durable sanotex powder paint.  
 • Fastened aluminum anodized signage  
 • Polyethylene vacuum formed architectural panels  
 • Corroborated slot is covered and lockable  
 • Patented ground sleeve anchor system  
 • Protective black bumpers  
 • Bin is comprised of two (2) parts  
 • Architectural panels available in optional colours

Other:  
 • Lifting structure conforms to standard Front Load waste trucks  
 • Manual Lid Shut on both feed doors  
 • Durable & fade resistant, non-warping lids and feed doors  
 • Secondary Containment In-Ground System  
 • Corroborated slot is covered and lockable  
 • Patented ground sleeve anchor system  
 • Protective black bumpers  
 • Bin is comprised of two (2) parts  
 • Architectural panels available in optional colours

Explore further at [www.earthbin.com](http://www.earthbin.com) Contact us or book a site visit: 1-844-213-BINS (2467)

NO.	REVISION	APRD	DATE	ISSUED FOR	PRE-CONSULTATION APPLICATION NO. 2	ISSUED FOR	PRE-CONSULTATION APPLICATION NO. 2
1	11-21-2021			PRE-CONSULTATION APPLICATION	4	02-29-2023	ISSUED FOR PRE-CONSULTATION APPLICATION NO. 2
2	03-15-2022			TIM HORTONS DRIVEWAY INTERCONNECTION	5	01-22-2024	PLAN UPDATE PER TOWN SPA COMMENTS
3	06-06-2022			NVCA PRE-CONSULTATION APPLICATION	6	08-12-2024	CONCRETE PLANTER ADDED

**ISSUED**

7 12-10-2024  
 8  
 9

**REVISIONS**

11-21-2021  
 03-15-2022  
 06-06-2022

**PROJECT:** COLLINGWOOD CAR WASH  
 298 PRETTY RIVER PARKWAY NORTH  
 COLLINGWOOD, ONTARIO

**TITLE:** PLANTING & SITE FURNITURE DETAILS

**DRAWN BY:** R.A.  
**CHECKED BY:** JUNE 2021  
**SCALE:** 1:200

**APPROVED BY:** K.P.  
**DATE:** 01-25-2024

**PROJECT NO.:** 2010-21

**BICORP DESIGN GROUP LTD.**  
 1235 FAIRVIEW STREET, SUITE 300, BURLINGTON, ONTARIO, L7S 2R9  
 TEL: 416-705-6526  
 bicorpdesign@gmail.com

**THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR CHECKING AND VERIFYING ALL DIMENSIONS INCLUDING DATUM ELEVATIONS SHOWN ON ARCHITECTURAL DRAWINGS WITH STRUCTURAL, MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS TO BE PROVIDED BY THE GENERAL CONTRACTOR TO BICORP DESIGN GROUP LTD. (B.D.G.) BEFORE COMMENCING THE WORK. DRAWINGS MUST NOT BE SCALED.**

**THIS DRAWING IS THE COPYRIGHT PROPERTY OF B.D.G. AND SHALL NOT BE REPRODUCED, ALTERED OR REUSED WITHOUT WRITTEN AUTHORIZATION OF B.D.G.**

**PASK LANDSCAPE ARCHITECTS LTD.**

73 GWENDOLEN CRES. NORTH YORK ONTARIO, M2N 2M2  
 TEL: 416-399-1553  
 email: pasklandscape@gmail.com