



HURONTARIO DENTAL

Dr. Christine Magalhaes DDS

DRAWING LIST


A0.0	COVER
A0.1	PROJECT INFO.
A0.2	MAIN FLOOR - EXISTING CONDITIONS
A2.1	MAIN FLOOR - EXISTING CONDITIONS & DEMO
A2.2	MAIN FLOOR - PROPOSED RENOVATION
A2.3	SECOND FLOOR - PROPOSED RENOVATION
A2.5	STRUCT. RCP - MAIN FLOOR
A2.6	STRUCT. RCP - SECOND FLOOR
A2.7	ROOF
A3.1	EXISTING ELEVATIONS
A3.2	ELEVATIONS
A4.1	EXISTING SECTIONS
A4.2	SECTIONS

CONSULTANTS


MECHANICAL, ELECTRICAL, PLUMBING:	STRUCTURAL:
ELEVATION ENGINEERING 262 BATTEAUX ROAD, COLLINGWOOD, ON, L9Y 5B2 (705) 415-1761	BARILL ENGINEERING LTD. 50 TRAIL'S END, COLLINGWOOD, ON, L9Y 5B2 705.445.4905 / FAX: 705.445.6127

ENVIRONMENTAL CONDITIONS

SOLAR ANALYSIS



ANNUAL WIND ROSE



ASSEMBLIES

WALL ASSEMBLIES

	W1 MASONRY VENEER (TYP.): 16" [R-39] 4-5" MASONRY VENEER (IE. EBEL PEARL SAWN BED WALL COURSING) 1 1/2" AIR SPACE 3" SEMI-RIGID INSULATION [R-VALUE 15, R5/in]; (IE. ROXUL COMFORTBOARD 80™ IS) - AIR BARRIER (IE. TYVEK, BLUESKIN) 1/2" PLYWOOD SHEATHING BOARD 2 x 6 WOOD STUDS @ 16" O.C. 4" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 24, R6/in]; (IE. POLARFOAM PF-7300-0 SOYA CANADIAN; CLASS II VAPOUR BARRIER MEMBRANE) 1/2" GYPSUM BOARD *EXTERIOR INSULATION NOT REQUIRED FOR GARAGE APPLICATIONS, SEE PLANS
	W13 MASONRY VENEER, 2-SIDED (TYP.): 25" 5" MASONRY VENEER (IE. EBEL PEARL SAWN BED WALL COURSING) 1 1/2" AIR SPACE - AIR BARRIER (IE. TYVEK, BLUESKIN) 12" CONCRETE MASONRY UNITS - AIR BARRIER (IE. TYVEK, BLUESKIN) 1 1/2" AIR SPACE 5" MASONRY VENEER *INSULATION AND VAPOUR BARRIERS NOT REQUIRED FOR INTERIOR OR FULLY EXTERIOR APPLICATIONS, SEE PLANS
	W2 WOOD SIDING (TYP.): 3/4" WOOD SIDING (IE. MAIBEC 1 x 6 BOARD, BRUSHED FACE, NATURAL TONES, ALGONQUIN AMBER 002 - TBD WITH OWNER) 3/4" AIR SPACE 1 x 3 VERTICAL WOOD STRAPPING 3" SEMI-RIGID INSULATION [R-VALUE 15, R5/in]; (IE. ROXUL COMFORTBOARD™ IS) - AIR BARRIER (IE. TYVEK, BLUESKIN) 1/2" PLYWOOD SHEATHING BOARD 2 x 6 WOOD STUDS @ 16" O.C. 4" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 24, R6/in]; (IE. POLARFOAM PF-7300-0 SOYA CANADIAN; CLASS II VAPOUR BARRIER MEMBRANE) 1/2" GYPSUM BOARD ALTERNATIVE PRICE: VIGWEST BELLARA STEEL SIDING (WARM ROSEWOOD 18-3271)
	W3 FIBRECEMENT PANELS (TYP.): 9 1/16" [R-39] SAME AS ABOVE; SUBSTITUTE 5/16 WOOD SIDING FOR 5/16 COMPOSITE PANELS, IE. EQUITONE TECTIVA (TE 20)
	W3a FIBRECEMENT PANELS - WINDOW INFILL (TYP.): 9 1/16" [R-44] SAME AS ABOVE; COMPOSITE PANELS COLOURS TO BE, EQUITONE TECTIVA (TE 85) ALTERNATIVE PRICE: MARINE GRADE PLYWOOD, OREGON, COLOUR: MATCH WINDOW FRAMES ALTERNATIVE PRICE: BENT ALUMINUM FLASHING OR ALUMINUM COMPOSITE MATERIAL

	W4 CONCRETE FOUNDATION WALL - BASEMENT (TYP.): 17 1/4" [R-31.5] 22ga ALUMINUM FLASHING AT ALL AREAS EXPOSED ABOVE GRADE; EXTEND FLASHING 8" BELOW GRADE, MIN., TYP. (COLOUR TO MATCH ADJACENT WINDOW FRAMES OR SIDING); - DIMPLEBOARD 1 1/2" XPS EXTRUDED POLYSTYRENE RIGID FOAM INSULATION [R-VALUE 7.5, R5/in] *AS INDICATED IN PLANS & SECTIONS - DAMP-PROOFING: TERMINATE DRAINBOARD & WATERPROOFING AT GRADE WITH TERMINATION BAR AND SEALANT; TYP. SEE WALL SECTIONS. 10" C.I.P. CONCRETE WALL - REFER TO STRUCTURE FOR THICKNESS (VARIES WITH STONE) 1 1/2" AIR SPACE 2 x 4 WOOD STUDS @ 16" O.C. 4" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 24, R6/in]; (IE. WALLTITE ECO, HEATLOK SOYA, POLARFOAM; CLASS II VAPOUR BARRIER MEMBRANE) 1/2" GYPSUM BOARD
	W4a CONCRETE FOUNDATION WALL - NO BASEMENT (TYP.): VARIES - SAME AS ABOVE - STRUCT. THICKNESS VARIES; SEE FOUNDATION PLANS; SUBTRACT 2 x 4 STUD WALL 3" RIGID FOAM EXT. INSULATION [R-VALUE 15, R5/in] AS INDICATED IN PLANS & SECTIONS
	P1 GYPSUM WALL (TYP.): 4 1/2" 1/2" GYPSUM BOARD 2 x 4 WOOD STUDS @ 16" O.C. *SOUND ATTENUATION AS INDICATED 1/2" GYPSUM BOARD
	P2 GYPSUM WALL (TYP.): 6 1/2" 1/2" GYPSUM BOARD 2 x 4 WOOD STUDS @ 16" O.C. *SOUND ATTENUATION AS INDICATED 1/2" GYPSUM BOARD
	P2a TILE WALL (TYP.): 6" 1/4" TILE - MORTAR 1/2" CEMENT BOARD 2 x 4 WOOD STUDS @ 16" O.C. 1/2" CEMENT BOARD - MORTAR 1/4" TILE
	P4 MASONRY / GYPSUM WALL (TYP.): 9 1/2" 1/2" GYPSUM BOARD 2 x 4 WOOD STUDS @ 16" O.C. *SOUND ATTENUATION AS INDICATED 1/2" CEMENT BOARD 5" MASONRY VENEER (IE. OWEN SOUND LEDGEROCK)
	P5 CONCRETE MASONRY UNIT WALL (TYP.): 7 5/8" 7 5/8" CONCRETE MASONRY UNIT

FLOOR & CEILING ASSEMBLIES

	F1 WOOD JOIST FLOOR 14 1/2" - FINISH FLOOR 1 1/2" RADIANT INFLOOR HEATING TUBES, TO BE CAST IN CONCRETE TOPPING 1/4" RIGID INSULATION THERMAL SEPARATOR BASE 3/4" PLYWOOD SUBSTRATE - FRAMING AS INDICATED
	F2 CONCRETE SLAB ON GRADE - INTERIOR (TYP.): 15-16" [R-18] ALL EXPOSED CONCRETE TO BE ARCHITECTURAL - FINISH FLOOR 4" CONCRETE SLAB (5" FOR GARAGE), REFER TO STRUCTURAL FOR DIMENSION - RADIANT INFLOOR HEATING TUBES, TO BE CAST IN CONCRETE ABOVE MESH 6 x 6 WELDED WIRE MESH 3" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 18, R6/in]; (2" FOR GARAGE) (IE. POLARFOAM PF-7300-0 SOYA CANADIAN; CLASS II VAPOUR BARRIER MEMBRANE) 8" COMPACTED CRUSHED ROCK 1" SAND BASE - COMPACTED SUB SOIL
	F3 CONCRETE SLAB - EXTERIOR (TYP.): 17" [R-18] ALL EXPOSED CONCRETE TO BE ARCHITECTURAL - FINISH FLOOR 6" CONCRETE SLAB W/ 15m BARS @ 12" O/C EACH WAY, TYPE C-1 (35MPA) (IE. POLARFOAM PF-7300-0 SOYA CANADIAN) - FOR SLAB ON GRADE LOCATIONS: ADD 2" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 12, R6/in]; (IE. POLARFOAM PF-7300-0 SOYA CANADIAN) 8" COMPACTED CRUSHED ROCK 1" SAND BASE - COMPACTED SUB SOIL
	C1 GYPSUM BOARD CEILING (TYP.): 1" - ADDITIONAL FRAMING AS REQUIRED; REFER TO CEILING HEIGHTS ON RCP'S & SECTIONS 1/2" RESILIENT CHANNEL 1/2" GYPSUM BOARD
	C2 T&G CEDAR CEILING (TYP.): 1 1/4" 1/4" TILE - MORTAR 1/2" CEMENT BOARD 2 x 4 WOOD STUDS @ 16" O.C. 1/2" CEMENT BOARD - MORTAR 1/4" TILE
	S1 T&G CEDAR SOFFIT (TYP.): 1 1/4" 1" x 3" TONGUE & GROOVE CEDAR SOFFIT W/ 3" SOFFIT VENT, WITH INSECT SCREEN BACKING (FOR UPLIFT SNOW PROTECTION)

FLOOR FINISHES

	FF1 WOOD PLANKS (TYP.): 3/4" QUARTERSAWN HEMLOCK, ENG. FLOOR (ADHERED TO TOPPING, I.E. BONE-R851) - TOPPING SEALER - SERIES: __, FINISH: __
	FF2 PORCELAIN TILE (TYP.): 1/2" PORCELAIN TILE, 1" x 2" PATTERN, STAGGERED SERIES: __, COLOUR: __, FINISH: __ 1/4" EPOXY MORTAR BASE
	FF3 EBEL SANDBLASTED ALGONQUIN LIMESTONE (TYP.): 2" STONE VENEER, COLOUR: __ 1/2" EPOXY MORTAR BASE
	FF4 EBEL SANDBLASTED ALGONQUIN LIMESTONE (TYP.): 1" LARGE STONE TILE, COLOUR: __ 5/8" LAYING BED CONCRETE SAND

ROOF ASSEMBLIES

	R1 2-PLY MODIFIED BITUMEN ROOF (TYP.): VARIES [R-54] 2-PLY MODIFIED BITUMEN ROOF; COLOUR GREY. 1/8" ROOFBOARD SHEATHING 6" RIGID INSULATION [R-VALUE 30, R5/in]; (IE. POLYISO) 1/2" PLYWOOD ROOF SHEATHING 0" - 3" SLEEPERS, CUT TO SLOPE & PERPENDICULAR TO FRAMING BELOW. (SEE SECTIONS) - FRAMING AS INDICATED 4" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 24, R6/in]; (IE. POLARFOAM PF-7300-0 SOYA CANADIAN; CLASS II VAP. BARRIER MEMBRANE) - CEILING OR SOFFIT - SEE RCP'S *INSUL. AND VAP. BARRIERS NOT REQUIRED FOR ROOF OVERHANG APPLICATIONS
	R2 METAL ROOF (TYP.): VARIES [R-60] - ARCHITECTURAL STANDING SEAM METAL ROOF (IE. GALVALUME) - ROOFING MEMBRANE 1/2" PLYWOOD ROOF SHEATHING - WOOD STRUCTURE; REFER TO STRUCTURAL RCP'S & JOIST SCHEDULE 10" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 60, R6/in]; (IE. WALLTITE ECO, HEATLOK SOYA, POLARFOAM; CLASS II VAPOUR BARRIER MEMBRANE) - COMBINED WITH FIREPROOF COATING (IE. CONTEGO INTERNATIONAL) - CEILING OR SOFFIT - SEE RCP'S
ALTERNATIVE PRICE: SUBSTITUTE SLEEPERS FOR TAPERED INSULATION	
GARAGE ROOF: NO RIGID INSULATION ABOVE SHEATHING, 8" 2LB SPRAY-APPLIED FOAM-IN-PLACE INSULATION [R-VALUE 48, R6/in];	

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.

THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLADE ARCHITECTS, INC.
+1 (705) 446-7013
info@asladearchitects.com
www.asladearchitects.com
201-2, 301 First Street, Collingwood, ON L9Y 1B3

DR. MAGALHAES
DENTAL CLINIC
876 HURONTARIO ST, COLLINGWOOD, ON

COVER

Project number	2603
Date	2026-07-06 3:33:50 PM
Drawn by	EJL
Checked by	ACBS

A0.0

Scale 1/4" = 1'-0"

OBC MATRX

Name of Practice:		A. Slade Architects, Inc. 201-2, 391 First Street Collingwood, ON L9Y 1B3				
Certificate of Practice Number: The Certificate of Practice Number of the holder is the holder's BC0N.				6358		
Name of Project:		DR. MAGALHAES DENTAL CLINIC		The architect noted above has exercised responsible control with respect to design activities. The architect's seal number is the architect's BC0N		
Location:		876 HURONTARIO ST. COLLINGWOOD, ON				
Item	2012 Ontario Building Code Data Matrix Parts 3 or 9				OBC Reference	
					References are to Division B unless noted (A) for Division A or (C) for Division C.	
1	Project Type:	☐ New	☒ Alteration	☒ Part 11	☒ Part 3	☐ Part 9
	Description:	DENTAL OFFICE	☒ Addition	☐ Change of use	1.1.2.(A)	1.1.2.(A)
2	Major Occupancy(s)	D	Use	DENTAL OFFICE	3.1.2.1.(1)	9.10.2
3	Building Area [m ²]	Existing 210.4 m ²	New 0	Total 210.4 m ²	1.4.1.2.(A)	1.4.1.2.(A)
4	Gross Area [m ²]	Existing 210.4 m ²	New 129.8 m ²	Total 340.2 m ²	1.4.1.2.(A)	1.4.1.2.(A)
5	Number of Storeys	Above Grade 2	Below Grade 0		1.4.1.2.(A) & 3.2.1.1	1.4.1.2.(A)&9.10.4
6	Number of Streets / Fire Fighter Access	1			3.2.2.10 & 3.2.5	9.10.20
7	Building Classification	3.2.2.64			3.2.2.20 - .83	9.10.2
8	Sprinkler System Proposed	N/A	☐ Entire building	☐ Selected compartments	3.2.2.20 - .83	9.10.8.2-.4.
			☐ Selected floor areas	☐ Basement	3.2.1.5	
			☐ In lieu of roof rating	☐ Not required	3.2.2.17	
				INDEX		
9	Standpipe Required	☐ Yes ☒ No			3.2.9	N / A
10	Fire Alarm Required	☒ Yes ☐ No			3.2.4	9.10.18
11	Water Service / Supply is Adequate	☒ Yes ☐ No			N / A	N / A
12	High Building	☐ Yes ☒ No			3.2.6	N / A
13	Construction Restrictions	☒ Combustible permitted	☒ Non-combustible required		3.2.2.20 - .83	9.10.6
	Actual Construction	☒ Combustible	☐ Non-combustible ☐ Both		3.2.1.4.	
	Heavy Timber Construction	☐ Yes ☒ No				
14	Importance Category	☐ Low ☐ Low human occupancy ☐ Post-disaster shelter ☒ Normal ☐ High ☐ Post-disaster ☐ Minor storage building ☐ Explosive or hazardous substances			4.1.2.1.(3) & T4.1.2.1.B	[A] 1.1.2.2.(2)
	Site Class (A,B,C,D,E from Geotechnical Report)				4.1.8.4.	4.1.8.4.
	Seismic Hazard Index	Ic/ Fa Sa (0.2) =			4.1.2.1.(3)	4.1.8.18.(1)
	Design for Seismic Required for items 6 to 21. Table 4.1.8.18. (Equal or Above 0.35?) (Yes or No)				4.1.8.18.(2)	4.1.8.18.(2), 9.20.1.2., 9.31.6.2.(3)
15	Mezzanine(s) Area [m ²]	N/A			3.2.1.1.(3) - (8)	9.10.4.1
16	Occupant Load Based on	☐ m ² / person ☒ design of building			3.1.17	N/A
	Basement:	Occupancy	Load	persons		
	1st Floor:	Occupancy	Load	persons		
	2nd Floor:	Occupancy	Load	persons		

For Additional Floors, go to Page 2

Building Code Data Matrix Parts 3 or 9, January 2017 [re-creation]

[illegible]

Building Code Data Matrix Parts 3 or 9, January 2017 [re-creation]

Item	Ontario Building Code Matrix - Part 11 - Renovation of Existing Building		IBC Reference
11.1	Existing Building Classification:	Change in Major Occupancy: ☐ Yes ☒ Not Applicable (No change of Major Occupancy) Construction Index: _____ Hazard Index: _____ Importance Category: ☐ Low ☐ Normal ☐ High ☐ Post-disaster	11.2.1.1 T 11.2.1.1A T 11.2.1.1.B.-N. 4.2.1.(3), 5.2.2.1.(2)
11.2	Alteration to Existing Building is:	☒ Basic Renovation ☐ Extensive Renovation	11.3.3.1 11.3.3.2
11.3	Building Size:	☒ Small ☐ Medium ☐ Large ☐ >Large	T.11.2.1.1.B.-N.
11.4	Reduction in Performance Level:	Structural: by Increase in Occupant Load: ☒ No ☐ Yes by Change in Major Occupancy: ☒ No ☐ Yes Plumbing: ☒ No ☐ Yes Sewage System: ☒ No ☐ Yes Extension of Comb. Construction: ☒ No ☐ Yes	11.4.2.1 11.4.2.2 11.4.2.3 11.4.2.4 11.4.2.5 11.4.2.6
11.5	Compensating Construction:	Structural: ☒ No ☐ Yes (explain below) 	11.4.3.2
		by Increase in Occupant Load: ☒ No ☐ Yes (explain below) 	11.4.3.3
		by Change in Major Occupancy: ☒ No ☐ Yes (explain below) 	11.4.3.4
		Plumbing: ☒ No ☐ Yes (explain below) 	11.4.3.5
		Sewage System: ☒ No ☐ Yes (explain below) 	11.4.3.6
		Extension of Comb. Construction: ☒ No ☐ Yes (explain below) 	11.4.3.7
11.6	Compliance Alternatives Proposed:	☒ No ☐ Yes (give number[s]) _____ _____ _____ _____	11.5.1

Building Code Data Matrix Part 11, January 2017 [re-creation]

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

[illegible]

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST., COLLINGWOOD, ON

PROJECT INFO.

Project number	2603
Date	2026-07-06 3:33:50 PM
Drawn by	EJL
Checked by	ACBS

A0.1

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.

THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.


PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION

DEMOLITION NOTES

- INFILL ALL OPENINGS FROM REMOVED EQUIPMENT AND DUCTWORK WITH CONSTRUCTION TO MATCH. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS.
- ALL DEMOLITION MATERIAL TO BE TRANSPORTED IN A SUITABLE METHOD TO AUTHORIZED WASTE FACILITY.
- ENSURE ALL CODES AND STANDARDS ARE MET WITH REGARDS TO REMOVAL, HANDLING, AND DUMPING OF ALL WASTE MATERIAL.
- ENSURE ALL AFFECTED SERVICES ARE TO SHUT OFF AND TERMINATED IN A SAFE MANNER PRIOR TO ANY DEMOLITION WORK. SERVICES TO EXISTING SPACES IN USE TO BE MAINTAINED DURING HOURS OF OPERATION. COORDINATE WITH OWNER.
- REFER TO MECHANICAL/ELECTRICAL/PLUMBING DRAWINGS FOR EXTENT OF WORK TO BE DONE IN EXISTING AREAS.
- GENERAL CONTRACTOR IS RESPONSIBLE TO COORDINATE ALL AREAS OF CONSTRUCTION WITH OWNER AND CONSULTANT.
- REPAIR ANY EXISTING WORK DAMAGED BY CONSTRUCTION.
- TEMPORARY EXITS TO BE MAINTAINED SAFELY DURING CONSTRUCTION PROCESS.
- CONTRACTOR ULTIMATELY RESPONSIBLE FOR MAINTAINING A SAFE WORK ENVIRONMENT.
- PROVIDE TEMPORARY HOARDING AND SEAL AS REQUIRED TO PREVENT CONSTRUCTION NOISE AND DUST FROM ACCESSING OCCUPIED SPACES

No.	Description	Date
	FIRST SUBMISSION	20260706



A.SLADearchITECTS, INC.

+1 (905) 446-7013
info@aslacearchitects.com
www.aslacearchitects.com
201-2, 391 First Street, Collingwood, ON L9Y 1B3


DR. MAGALHAES
DENTAL CLINIC
876 HURONTARIO ST, COLLINGWOOD, ON

MAIN FLOOR -
EXISTING CONDITIONS

Project number	2603
Date	2026-07-06 3:33:50 PM
Drawn by	EJL
Checked by	ACBS

A2.0

ScaleAs indicated



1 MAIN FLOOR - EXISTING CONDITIONS
1/4" = 1'-0"

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.

THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.


IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION


DEMOLITION NOTES

- INFILL ALL OPENINGS FROM REMOVED EQUIPMENT AND DUCTWORK WITH CONSTRUCTION TO MATCH. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS.
- ALL DEMOLITION MATERIAL TO BE TRANSPORTED IN A SUITABLE METHOD TO AUTHORIZED WASTE FACILITY.
- ENSURE ALL CODES AND STANDARDS ARE MET WITH REGARDS TO REMOVAL, HANDLING, AND DUMPING OF ALL WASTE MATERIAL.
- ENSURE ALL AFFECTED SERVICES ARE TO SHUT OFF AND TERMINATED IN A SAFE MANNER PRIOR TO ANY DEMOLITION WORK. SERVICES TO EXISTING SPACES IN USE TO BE MAINTAINED DURING HOURS OF OPERATION. COORDINATE WITH OWNER.
- REFER TO MECHANICAL/ELECTRICAL/PLUMBING DRAWINGS FOR EXTENT OF WORK TO BE DONE IN EXISTING AREAS.
- GENERAL CONTRACTOR IS RESPONSIBLE TO COORDINATE ALL AREAS OF CONSTRUCTION WITH OWNER AND CONSULTANT.
- REPAIR ANY EXISTING WORK DAMAGED BY CONSTRUCTION.
- TEMPORARY EXITS TO BE MAINTAINED SAFELY DURING CONSTRUCTION PROCESS.
- CONTRACTOR ULTIMATELY RESPONSIBLE FOR MAINTAINING A SAFE WORK ENVIRONMENT.
- PROVIDE TEMPORARY HOARDING AND SEAL AS REQUIRED TO PREVENT CONSTRUCTION NOISE AND DUST FROM ACCESSING OCCUPIED SPACES



1 MAIN FLOOR - DEMO
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	20260706



A.SLADE ARCHITECTS, INC.
+1 (905) 446-7013
info@asladearchitects.com
www.asladearchitects.com
201-2, 391 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON
**MAIN FLOOR -
EXISTING CONDITIONS
& DEMO**

Project number	2603
Date	2026-07-06 3:33:51 PM
Drawn by	EJL
Checked by	ACBS

A2.1

Scale As indicated

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.


THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.


PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION



1 MAIN FLOOR - PROPOSED RENOVATION
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	20260706



A.SLAD ARCHITECTS, INC.
+1 (905) 446-7013
info@aslarchitects.com
www.aslarchitects.com
201-2, 301 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON

**MAIN FLOOR -
PROPOSED
RENOVATION**

Project number 2603
Date 2026-07-06 3:33:51 PM
Drawn by E.J.L.
Checked by ACBS

A2.2

Scale As indicated

GENERAL NOTES


ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.

THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

- PHASES**
- EXISTING WALL / OUTLINE
 - EXISTING FLOOR / SURFACE
 - DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
 - NEW DRYWALL PARTITION
 - NEW GLAZED PARTITION
 - AREA NOT IN CONTRACT
 - AREA TO BE REMOVED
 - AS-BUILT DIMENSION



1 SECOND FLOOR
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLADE ARCHITECTS, INC.

+1 (905) 448-7013
info@asladearchitects.com
www.asladearchitects.com
201-2, 301 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON

**SECOND FLOOR -
PROPOSED
RENOVATION**

Project number	2603
Date	2026-07-06 3:33:51 PM
Drawn by	EJL
Checked by	ACBS

A2.3

Scale As indicated

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.


THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION



1 MAIN FLOOR RCP (STRUCT.)
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLADE

ARCHITECTS, INC.

+1 (905) 446-7013

info@asladearchitects.com

www.asladearchitects.com


201-2, 301 First Street, Collingwood, ON L9Y 1B3

DR. MAGALHAES
DENTAL CLINIC
876 HURONTARIO ST, COLLINGWOOD, ON
STRUCT. RCP - MAIN
FLOOR

Project number	2603
Date	2026-07-06 3:33:51 PM
Drawn by	EJL
Checked by	ACBS

A2.5

Scale As indicated



① SECOND FLOOR RCP (STRUCT.)
1/4" = 1'-0"

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.

THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION

No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLADearchITECTS, INC.

+1 (905) 446-7013

info@asladearchitects.com

www.asladearchitects.com

201-2, 301 First Street, Collingwood, ON L9Y 1B3

DR. MAGALHAES
DENTAL CLINIC
876 HURONTARIO ST, COLLINGWOOD, ON

STRUCT. RCP -
SECOND FLOOR

Project number	2603
Date	2026-07-06 3:33:51 PM
Drawn by	EJL
Checked by	ACBS

A2.6

Scale As indicated

GENERAL NOTES


ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.

THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

- PHASES**
- EXISTING WALL / OUTLINE
 - EXISTING FLOOR / SURFACE
 - DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
 - NEW DRYWALL PARTITION
 - NEW GLAZED PARTITION
 - AREA NOT IN CONTRACT
 - AREA TO BE REMOVED
 - AS-BUILT DIMENSION



No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLADÉ ARCHITECTS, INC.

+1 (705) 448-7013
info@asladearchitects.com
www.asladearchitects.com
201-2, 301 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON

ROOF

Project number	2603
Date	2026-07-06 3:33:52 PM
Drawn by	EJL
Checked by	ACBS

A2.7

Scale As indicated

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.


THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.


PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION



1 EAST ELEVATION Copy 1
1/4" = 1'-0"

2 SOUTH ELEVATION (EXISTING)
1/4" = 1'-0"



3 WEST ELEVATION Copy 1
1/4" = 1'-0"

4 NORTH ELEVATION Copy 1
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLAD ARCHITECTS, INC.
+1 (905) 446-7013
info@asladsarchitects.com
www.asladsarchitects.com
201-2, 301 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON
EXISTING ELEVATIONS

Project number	2603
Date	2026-07-06 3:33:53 PM
Drawn by	EJL
Checked by	ACBS

A3.1

Scale As indicated

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.


THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.


IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.

PHASES


- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION




1 EAST ELEVATION
1/4" = 1'-0"



2 SOUTH ELEVATION
1/4" = 1'-0"



3 WEST ELEVATION
1/4" = 1'-0"



4 NORTH ELEVATION
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	2026/07/06

A.SLAD ARCHITECTS, INC.
+1 (905) 446-7013
info@asladsarchitects.com
www.asladsarchitects.com
201-2, 301 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON
ELEVATIONS

Project number	2603
Date	2026-07-06 3:33:56 PM
Drawn by	EJL
Checked by	ACBS

A3.2

Scale As indicated

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.


THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.


PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION



1 CROSS SECTION 1 Copy 1
1/4" = 1'-0"

2 LONGITUDINAL SECTION 1 Copy 1
1/4" = 1'-0"



3 CROSS SECTION 2 Copy 1
1/4" = 1'-0"

4 LONGITUDINAL SECTION 2 Copy 1
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLAD ARCHITECTS, INC.

+1 (905) 446-7019
info@aslackarchitects.com
www.aslackarchitects.com

201-2, 391 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON
EXISTING SECTIONS

Project number	2603
Date	2026-07-06 3:33:56 PM
Drawn by	EJL
Checked by	ACBS

A4.1

GENERAL NOTES

ALL DRAWINGS ARE THE PROPERTY OF THE ARCHITECT. REPRODUCTION OF DRAWINGS WITHOUT WRITTEN PERMISSION OF THE ARCHITECT IS PROHIBITED.


THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT IMMEDIATELY.

ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.

IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO COORDINATE ALL STRUCTURAL, MECHANICAL AND ELECTRICAL WORK.


PHASES

- EXISTING WALL / OUTLINE
- EXISTING FLOOR / SURFACE
- DEMOLISHED WALL, FLOOR, LIGHTING, ETC.
- NEW DRYWALL PARTITION
- NEW GLAZED PARTITION
- AREA NOT IN CONTRACT
- AREA TO BE REMOVED
- AS-BUILT DIMENSION



1 CROSS SECTION 1
1/4" = 1'-0"

2 LONGITUDINAL SECTION 1
1/4" = 1'-0"



3 CROSS SECTION 2
1/4" = 1'-0"

4 LONGITUDINAL SECTION 2
1/4" = 1'-0"

No.	Description	Date
	FIRST SUBMISSION	20260706

A.SLAD ARCHITECTS, INC.
+1 (905) 446-7019
info@aslackarchitects.com
www.aslackarchitects.com
201-2, 301 First Street, Collingwood, ON L9Y 1B3

**DR. MAGALHAES
DENTAL CLINIC**
876 HURONTARIO ST, COLLINGWOOD, ON

Project number	2603
Date	2026-07-06 3:33:58 PM
Drawn by	EJL
Checked by	ACBS

A4.2

Scale As indicated